

Listing of claims:

1. (currently amended) A method for targeting content to an audience that comprises a plurality of users, the method comprising:

receiving rules from an administration client computing device, the rules comprising query criteria for the audience, each rule defined as a unit of functionality;

storing the received rules in a database;

scheduling the compilation of the rules on a predetermined time schedule;

using the received rules to determine a membership list of the plurality of users to receive the content, the received rules comprising a property query rule, a member of rule, and a reports under rule, by:

independently generating separate results of the property query rule by determining if a property value matches a property of one or more of the plurality of users , including receiving the separate results of the property query rule from a directory service, wherein the directory service is separate from the database;

independently generating separate results of the member of rule by determining if one or more of the plurality of users are a member of a pre-existing group email distribution list; and

independently generating separate results of the reports under rule by determining if one or more of the plurality of users are located hierarchically under another person within an organization structure, the determination comprising receiving the separate results of the reports under rule from the directory service maintaining the organization structure; and

after independently generating the separate results of each of the property query rule, the member of rule, and the reports under rule, compiling the membership list of users according to the predetermined schedule by applying one or more conditional logic operators to combine the separate results of the property query rule, the separate results of the member of rule, and the separate results of the reports under rule;

associating the compiled membership list of users with content;

obtaining the content from a data store; and

providing the content to the users listed within the compiled membership list.

2. (previously presented) The method of Claim 1, wherein the rules to define the audience further comprise an attribute; a member; and an organization.

3. (previously presented) The method of Claim 1, wherein the content is provided within a web part.

4. (previously presented) The method of Claim 1, wherein an organization structure is stored in the directory service.

5. (previously presented) The method of Claim 1, wherein obtaining the content from a data store comprises accessing the content from one or more data servers.

6. (Canceled)

7. (previously presented) The method of Claim 1, wherein scheduling the compilation of the rules on a predetermined time schedule is processed as a SQL job by the database.

8. (previously presented) The method of Claim 1, further comprising providing access to the content through a web interface that is created individually for that audience member.

9. (previously presented) The method of Claim 1, further comprising storing the rules to define the audience as an XML representation.

10. (currently amended) A system for targeting content to an audience that comprises users, comprising:

a management client device coupled to a network of computing devices; and
a server computer coupled to the management client device and the network of
computer devices, wherein the server computer includes a processor and memory containing
computer executable instructions defining a content targeting application, the content targeting
application, when executed by the processor, operates to:

receive a plurality of rules from the management client device, the rules defining
the audience, the rules comprising a property query rule, a member of rule and a reports
under rule;

store the received rules in a database;

schedule the compilation of the rules on a predetermined time schedule;

independently generate separate results for the property query rule that determines
if a property value matches a property of one or more users stored in a separate directory
service;

independently generate separate results for the member of rule that determines if
one or more users are within a pre-existing group email distribution list; and

independently generate separate results for the reports under rule that
determines if one or more users are located hierarchically under another user within the
separate directory service;

compile the rules according to the predetermined time schedule to define the
audience by combining the separate results of the property query rule, the separate results
of the member of rule, and the separate results of the reports under rule with conditional
logical operators; and

associate the users of the audience with the content.

11. (previously presented) The system of Claim 10, wherein at least one rule is
selected from a set of rule types, including: an attribute based rule type; a member type; and an
organizational rule type.

12. (Canceled)

13. (Canceled)

14. (previously presented) The system of Claim 10, wherein the database schedules the compilation of the rules on predetermined time schedule

15. (previously presented) The system of Claim 10, wherein displaying the content further comprises displaying the content to the audience through a web interface.

16. (currently amended) A computer storage medium having computer executable instructions for targeting content, the instructions comprising:

- receiving a plurality of rules from an administrator client device;
- storing the received rules in a database;
- scheduling the compilation of the rules on a predetermined basis;
- independently applying the plurality of rules to define an audience to receive the content, wherein the audience comprises a list of users, and the plurality of rules comprise:

- a property query rule that independently determines if a property value matches a property of users in an organization structure stored in a directory service;

- a member of rule that independently determines if a user is a member of an organization structure stored in a pre-existing group mail distribution list; and

- a reports under rule that independently determines if a user is located hierarchically under another user within an organization structure stored in the directory service;

compiling the rules according to the predetermined schedule by gathering information from the organization structure and the group mail distribution list to compile members of the audience wherein the compilation applies conditional logic operators to combine the results from the property query rule, the results from the member of rule and the results from the

reports under rule; and

associating the members of the audience with the content.

17. (previously presented) The computer storage medium of Claim 16, wherein the rules are created from a set of rule types, including: an attribute based rule type; a member type; and an organizational rule type.

18. (previously presented) The computer storage medium of Claim 16, wherein gathering information from the organization structure comprises invoking a directory service rules compiler.

19. (currently amended) The computer storage medium of Claim 16, wherein gathering information further comprises accessing an ~~active~~ directory to obtain the organizational structure.

20. (Canceled)

21. (Canceled)

22. (previously presented) The computer storage medium of Claim 16, wherein the database schedules the compilation of the rules on the predetermined basis.

23. (previously presented) The computer storage medium of Claim 16, further comprising providing access to the content to the audience through a web interface.